

3467 Kurtz Street
San Diego, California 92110
(619) 224-2911
November 26, 1986
Project No. 55931X-TS03

File Solar Turbines
n/f
Woodward-Clyde Consultants

RECEIVED

Department of Health Services
Hazardous Materials Management Unit
1700 Pacific Highway
San Diego, California 92101

'86 DEC 1 PM 2 07

SFUND RECORDS CTR
2385764

SO. CALIFORNIA SECTION
TOXIC SUBSTANCES
DEPT. OF HEALTH SER.

Attention: Mr. Kevin Heaton

UNAUTHORIZED RELEASE REPORT UPDATE
UNDERGROUND STORAGE TANK CLOSURES
SOLAR HARBOR DRIVE FACILITY
SAN DIEGO, CALIFORNIA

Gentlemen:

Woodward-Clyde Consultants (WCC) is pleased to provide this update to the subsurface contamination investigation conducted at the Solar Turbines Incorporated (Solar) Harbor Drive facility. The facility is the former location of fourteen underground storage tanks which were removed under closure permit AT0133. The final waste oil tank was removed August 29, 1986; this tank showed no evidence of leakage. The subsurface contamination associated with the excavation of fourteen tanks is being treated as a single site remediation program. WCC issued an unauthorized release report dated June 5, 1986 summarizing the status of tanks removed to that date; please accept this letter as an update to that unauthorized release report.

WCC is continuing to assess subsurface contamination of soil and groundwater adjacent to the prior locations of the fourteen underground storage tanks. Site remediation techniques will be evaluated following completion of the subsurface investigation.

We will supply additional information on site investigation and mitigation activities at the direction of Solar, as it becomes available. Please provide WCC with copies of your future communications on this matter. If you have any questions, please give us a call.

Very truly yours,

WOODWARD-CLYDE CONSULTANTS

Jimmie L. Greenslate
Jimmie L. Greenslate, Ph.D.
Project Manager

Enclosures

cc: Mr. David Barker, RWQCB
Mr. G. Hardacre, Solar
Mr. Ed Hillary, Solar
Mr. John Hinton, SDOHS

Consulting Engineers, Geologists
and Environmental Scientists

Offices in Other Principal Cities



3467 Kurtz Street
San Diego, California 92110
(619) 224-2911

Solar Turbines *JK*
Woodward-Clyde Consultants *File*
n/f

October 29, 1986
Project No. 55931X-TS04

RECEIVED

OCT 31 PM 2 01

SECTION
CES
OF H SER.
County of San Diego
Department of Health Services
Hazardous Materials Management Unit
1700 Pacific Highway
San Diego, California 92101

Attention: Mr. Kevin Heaton

UPDATE TO UNAUTHORIZED RELEASE REPORT NO. T0036
SOLAR TURBINES INCORPORATED
HARBOR DRIVE FACILITY
SAN DIEGO, CALIFORNIA

Gentlemen:

Woodward-Clyde Consultants (WCC) is pleased to present this letter update concerning Unauthorized Release Report No. T0036. This report is submitted at the request of Mr. Gerald Hardacre of Solar Turbines Incorporated (Solar) in response to your letter dated October 7, 1986.

Subsurface contamination associated with the closure of fourteen underground storage tanks is being treated as a single site remediation program. WCC is currently evaluating data regarding the extent of subsurface contamination adjacent to prior tank locations. Once this investigation is completed, site mitigation alternatives will be evaluated.

WCC will supply additional information on site investigation and mitigation activities at the direction of Solar as it becomes available. If you have any questions, please feel free to call.

Very truly yours,

WOODWARD-CLYDE CONSULTANTS

Jimmie Greenslate
Jimmie L. Greenslate, Ph.D.
Project Manager

JLG/pl

cc: Mr. David Barker, RWQCB
Mr. G. Hardacre, Solar
Mr. Ed Hillary, Solar
Mr. John Hinton, SDOHS

Consulting Engineers, Geologists
and Environmental Scientists

Offices in Other Principal Cities

